



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER OF PATENTS AND TRADEMARKS
Washington, D.C. 20231
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/194,051	03/25/1999	AKIRA SUGIYAMA	051508/0103	2741

7590 02/26/2003

MONICA MILLNER
RADAR FISHMAN & GRAUER PLLC
1233 20TH STREET NW
SUITE 501
WASHINGTON, DC 20036

EXAMINER

HEWITT II, CALVIN L

ART UNIT	PAPER NUMBER
----------	--------------

3621

DATE MAILED: 02/26/2003

Please find below and/or attached an Office communication concerning this application or proceeding.

8

General Office Action

1. The reply brief filed 06 December 2002 has been entered and considered. The application has been forwarded to the Board of Patent Appeals and Interferences for decision on the appeal.

2. Any inquiry concerning this communication or earlier communications from the Examiner should be directed to Calvin Loyd Hewitt II whose telephone number is (703) 308-8057. The Examiner can normally be reached on Monday-Friday from 8:30 AM-5:00 PM.

If attempts to reach the Examiner by telephone are unsuccessful, the Examiner's supervisor, James P. Trammell, can be reached at (703) 305-9768.

Any response to this action should be mailed to:

Commissioner of Patents and Trademarks
c/o Technology Center 2100
Washington, D.C. 20231

or faxed to:

(703) 746-7239 (for formal communications intended for entry),
(703) 746-7238 (for after-final communications),

or:

(703) 746-7240 (for informal or draft communications, please label
"PROPOSED" or "DRAFT")

Hand-delivered responses should be brought to Crystal Park II, 2121 Crystal
Drive, Arlington, VA, Sixth Floor (Receptionist).

Any inquiry of a general nature or relating to the status of this application
should be directed to the Group receptionist whose telephone number is (703)
305-3900.

Calvin Loyd Hewitt II

February 24, 2003



JAMES P. TRAMMELL
SUPERVISORY PATENT EXAMINER
TECHNOLOGY CENTER 3600